



DRILLING CUM MILLING MACHINE



Machine Capacity	Model No.	Model No.	Model No.
	DCM25	DCM32	DCM38
Drilling Capacity	25	32	38
Face Mill	40	50	60
End Mill	16	20	20
Drilling Head			
Tapper Spindle	M.T-3	M.T-4	M.T-4
Spindle Travel			240
No. Range of Spindle	8	8	8
Spindle speed Min./Max.	80 TO 2000	80 TO 2000	80 TO 2000
No. Range of Feed Working Range	Manual	Manual	Manual
Dist. From Spindle Centre to Column Face			300
Max. Dist. From Spindle to Work Table Column Diameter			500 108
Base Plate	225x835	225x835	225x835
Power			
Drilling Motor	1.5HP 1400 RPM	2HP 1400 RPM	2HP 1400 RPM
Weight(Kg) Approximate			475

AMAR JYOTI MACHINERY CORPORATION

4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR - 493221 (INDIA)

PHONE : +91 - 771 - 4917815

MOBILE : +91 9522015586 9522015584

EMAIL : raipur.amarjyoti@gmail.com

www.amarjyotimachinery.com





PILLAR DRILL

DRILL CUM MILLING

DRILL CUM TAPPING



PILLAR DRILL

DRILL CUM MILLING

AUTO FEED DRILL