



Machine Capacity	DP38-280 LD
Drilling (C.I.)	38
Drilling (M.S.)	38
Tapping Cap.	20
Drilling Head	
Tapper Spindle	M.T-4
Quil Movement	230
Speeds	
No. Range of Spindle	8
Spindle speed Min./Max.	70 TO 2000
Feeds	
No. Range of Feed	Manaul
Working Range	
Dist. From Spindle Centre to Colume Face	280
Max. Dist. From Spindle to Base Plite	940
Max. Dist. From Spindle to Work Table	530
Working Table	
Table Diameter	380*380
Baste Plate & Column	
Column Diameter	101
Base Plate	630*405
Power	
Drilling Motor	2 HP 960 RPM
Weight(Kgs.)	
Approximate	300kg
V-Belt	
No.	B-56

AMAR JYOTI MACHINERY CORPORATION

4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR - 493221 (INDIA)

PHONE : +91 -771 - 4917815

MOBILE : +91 -9522015586 9522015584

EMAIL : raipur.amarjyoti@gmail.com

www.amarjyotimachinery.com





PILLAR DRILL



DRILL CUM MILLING



DRILL CUM TAPPING



PILLAR DRILL



DRILL CUM MILLING



AUTO FEED DRILL

