

GSTIN : 22AUFP8634F1Z1



AMAR JYOTI MACHINERY

AMAR JYOTI

MACHINERY CORPORATION




4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

INDUSTRIAL MACHINERY

Visit At: WWW.AMARJYOTIMACHINERY.COM Email : raipur.amarjyoti@gmail.com



HEAVY DUTY CONE PULLEY/V-BELT

LATHE MACHINE

TECHNICAL SPECIFICATION

	10"	12"	15"
Bed Width	325 mm	325 mm	375 mm
Height of Center Over Flat Bed Ways	254 mm	304 mm	375 mm
Maximum Swing over bed	490 mm	590 mm	730 mm
Maximum Swing over Cross Slide	290 mm	390 mm	530 mm
Maximum Swing in Gap	800 mm	900 mm	1060 mm
Spindle Nose	6 TPI	6 TPI	6 TPI
Number of Spindle Speed No. 8 Range	30 to 500 RPM	30 to 500 RPM	30 to 500 RPM
Diameter of Hole Through Spindle option in bore size available.	54 mm	54 mm	54 mm
Inch Range	2 to 24 T.P.I.	2 to 24 T.P.I.	2 to 24 T.P.I.
Metric Range	1 to 6 mm	1 to 6 mm	1 to 6 mm
Lead Screw Dia. & Pitch	38 mm 4 T.P.I.	38 mm 4 T.P.I.	38 mm 4 T.P.I.
Tail Stock Spindle Dia.	50.8mm (2")	57mm (2 1/4")	57mm (2 1/4")
Tail Stock Spindle Taper Bore	MT-4	MT-4	MT-4
Tail Stock Spindle Travel	100 mm	100 mm	170 mm


RANGE	A.B.C.	WEIGHT (APPROX)	FLOOR-L	SPACE-W	OCCUPIED-H
5.5 Feet – 1675 mm	550 mm	1050 kg.	1980 (78")	1250 (49")	1370 (54")
7 Feet – 2130 mm	1000 mm	1250 kg.	2425 (95")	1250 (49")	1370 (54")
9 Feet – 2740 mm	1560 mm	1450 kg.	3050 (120")	1250 (49")	1370 (54")
10 Feet – 3048 mm	1860 mm	1650 kg.	3350 (132")	1250 (49")	1370 (54")
12 Feet – 3658 mm	2450 mm	1875 kg.	3950 (156")	1250 (49")	1370 (54")
14 Feet – 4268 mm	3050 mm	2050 kg.	4570 (180")	1250 (49")	1370 (54")
16 Feet – 4875 mm	3650 mm	2300 kg.	5180 (204")	1250 (49")	1370 (54")



**LITE DUTY PRECISION
LATHE MACHINE
UPTO 40MM**



**MEDIUM DUTY PRECISION
LATHE MACHINE
UPTO 80MM**



**HEAVY DUTY PRECISION
LATHE MACHINE
UPTO 205MM**



LITE DUTY ALL GEAR
LATHE MACHINE
UPTO 40MM



MEDIUM DUTY ALL
GEAR LATHE MACHINE
UPTO 80MM



HEAVY DUTY ALL
GEAR LATHE MACHINE
UPTO 205MM