



GSTIN : 22AUFPA8634F1Z1

# AMAR JYOTI

MACHINERY CORPORATION



4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

AMAR JYOTI MACHINERY

## INDUSTRIAL MACHINERY

Visit At: [WWW.AMARJYOTIMACHINERY.COM](http://WWW.AMARJYOTIMACHINERY.COM) Email : [raipur.amarjyoti@gmail.com](mailto:raipur.amarjyoti@gmail.com)

### COMBI PLANER - S (OPEN STAND)

All most a Portable Work - Station.  
At a Moderate Budget

Useful multi-functionality of combi planer, in value-for-money machines of this series. These are preferred by wood-working workshops for its enhanced utility, trusted performance and rugged durability. These m/cs are suitable for portability in a moderate budget.

**MODEL NO.**  
J-302, J-303,  
J-303L


**WATCH  
VIDEO**

### INTER CHANGEABLE ATTACHMENTS



Model NO- D (DRILLING)	D
	mm/inch
<b>Drilling Table Size</b>	280 x 150 / 11" x 6"
<b>Up/Down movement of table</b>	65 / 2½"
<b>Cross movement of table</b>	100 / 4"
<b>Longitudinal movement of table</b>	150 / 6"
<b>Drill chuck capacity</b>	19mm
<b>Weight Approx KGS</b>	60

STANDARD ACCE: 19MM DRILL CHUCK & DRILLING TOOL





<b>Model NO: 13-G, 18-G, 24-G BLADE GRINDING</b>	<b>13-G</b>	<b>18-G</b>	<b>24-G</b>
	INCH	INCH	INCH
<b>Max Grinding Capacity</b>	13"	18"	24"
<b>Grinding Cup Wheel Dia.</b>	4"	4"	4"
<b>Weight Approx KGS</b>	40	45	50

**STANDARD ACCE: EMERCY CUP WHEEL (4" DIAMETER)**



# AMARJYOTIMACHINERY



<b>Model NO- M MOULDING (AUTO FEED)</b>	<b>M</b>
	mm/inch
<b>Moulding table size</b>	455 x 150 / 18" x 6"
<b>Up/Down movement of table</b>	65 / 2½"
<b>Cross movement of table</b>	75 / 3"
<b>Max moulding block width</b>	40 / 1½"
<b>Weight Approx KGS</b>	40

**STANDARD ACCE: MOULDING BLOCK 1½" LENGTH & SPANNER**



<b>Model</b>	<b>J-302</b>	<b>J-303</b>	<b>J-303 L</b>
	mm / inch	mm/inch	mm/inch
<b>Surfacing capacity</b>	254 / 10"	330 / 13"	330 / 13"
<b>Max planing width</b>	254 / 10"	330 / 13"	330 / 13"
<b>Thicknesing capacity</b>	177 / 7"	177 / 7"	177 / 7"
<b>Length Of surface Table</b>	1140 / 45"	1220 / 48"	1550 / 61"
<b>Rebating Capacity</b>	12.5 / ½"	12.5 / ½"	12.5 / ½"
<b>Length Of Thickness Table</b>	610 / 24"	660 / 26"	660 / 26"
<b>Min. Length of work piece for thicknesing</b>	254 / 10"	254 / 10"	254 / 10"
<b>Feeding Speed (feet per minute)</b>	24	24	24
<b>Cutter block diameter</b>	95 / 3.75"	95 / 3.75"	95 / 3.75"
<b>Cutter block speed- RPM</b>	4000	4000	4000
<b>Standard cutter block - code no.</b>	2B	3B-W	3B-W
<b>Circular saw table size</b>	560 x 280 / 22" x 11"	560 x 280 / 22" x 11"	560 x 280 / 22" x 11"
<b>Up/Down movement of Cir.saw table</b>	75 / 3"	75 / 3"	75 / 3"
<b>Max.circular saw diameter</b>	300 / 12"	300 / 12"	300 / 12"
<b>Power required - HP / RPM</b>	2 / 1440	3 / 1440	3 / 1440
<b>Weight Approx KGS</b>	280	320	350

## STANDARD ACCESSORIES :-

2/3 planer blades fitted in cutter block, mitre gauge, motor pulley, motor fixing rail, toolkit & m/c manual.

**S** = Machine with Circular Saw attachment

**L** = Machine with 61" table length.

GSTIN : 22AUFPA8634F1Z1

**AMAR JYOTI**  
MACHINERY CORPORATION



4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

AMAR JYOTI MACHINERY

**INDUSTRIAL MACHINERY**

Visit At: [WWW.AMARJYOTIMACHINERY.COM](http://WWW.AMARJYOTIMACHINERY.COM) Email : [raipur.amarjyoti@gmail.com](mailto:raipur.amarjyoti@gmail.com)



## COMBI PLANER - S

Preferred for its Multi faceted utility, performance and rugged durability

These are preferred by wood-working workshops for its enhanced utility, trusted performance and rugged durability.

**MODEL NO.**

J-701 P, J-702, J-703

**WATCH VIDEO**

<b>Model</b>	<b>J-701P</b>	<b>J-702</b>	<b>J-703</b>
	mm / inch	mm / inch	mm/inch
<b>Surfacing capacity</b>	330 / 13"	455 / 18"	610 / 24"
<b>Max planing width</b>	330 / 13"	455 / 18"	610 / 24"
<b>Thicknessing capacity</b>	200 / 8"	200 / 8"	200 / 8"
<b>Length Of surface Table</b>	1220 / 48"	1550 / 61"	1550 / 61"
<b>Rebating Capacity</b>	12.5 / ½"	12.5 / ½"	12.5 / ½"
<b>Length Of Thickness Table</b>	660 / 26"	760 / 30"	915 / 36"
<b>Min. Length of work piece for thicknessing</b>	254 / 10"	254 / 10"	254 / 10"
<b>Feeding Speed (feet per minute)</b>	24	24	24
<b>Cutter block diameter</b>	120 / 4.72"	120 / 4.72"	120 / 4.72"
<b>Cutter block speed- RPM</b>	4000	4000	4000
<b>Standard cutter block - code no.</b>	3B-W	3B-W	3B-W
<b>Circular saw table size</b>	610 x 355 / 24" x 14"	610 x 355 / 24" x 14"	610 x 355 / 24" x 14"
<b>Up/Down movement of Circular saw table</b>	75 / 3"	75 / 3"	75 / 3"
<b>Max.circular saw diameter</b>	300 / 12"	300 / 12"	300 / 12"
<b>Power required - HP / RPM</b>	3 / 1440	5 / 1440	5 / 1440
<b>Weight Approx KGS</b>	500	700	850

## **STANDARD ACCESSORIES :-**

3 planer blades fitted in cutter block, mitre gauge, motor pulley, motor fixing plate, v-belt guard, toolkit & m/c manual.

**S** = Machine with Circular Saw attachment

GSTIN : 22AUFP8634F1Z1

**AMAR JYOTI**  
MACHINERY CORPORATION



4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

AMAR JYOTI MACHINERY

**INDUSTRIAL MACHINERY**

Visit At: [WWW.AMARJYOTIMACHINERY.COM](http://WWW.AMARJYOTIMACHINERY.COM) Email : [raipur.amarjyoti@gmail.com](mailto:raipur.amarjyoti@gmail.com)



# MINIMAX

For the professionals who value multi-functionality and precision workmanship.

Combi planers are combined Surfacers & Thicknessers m/cs. This is same high value machine like Combi max, but with fix top for site work. Combining precision and multi functionality in a machine that can work wonders for a professional set-up.

**MODEL NO.**  
**J-1010**

**WATCH VIDEO**



# Model

# J-1010

	mm / inch
<b>Surfacing capacity</b>	254 / 10"
<b>Max planing width</b>	254 / 10"
<b>Thicknessing capacity</b>	177 / 7"
<b>Length Of surface Table</b>	1140 / 45"
<b>Rebating Capacity</b>	12.5 / ½"
<b>Length Of Thickness Table</b>	635 / 25"
<b>Min. Length of work piece for thicknessing</b>	254 / 10"
<b>Feeding Speed (feet per minute)</b>	24
<b>Cutter block diameter</b>	95 / 3.75"
<b>Cutter block speed- RPM</b>	4000
<b>Standard cutter block - code no.</b>	2B
<b>Circular saw table size</b>	610 x 315 / 24" x 12"
<b>Up/Down movement of Cir.saw table</b>	75 / 3"
<b>Max.circular saw diameter</b>	300 / 12"
<b>Power required - HP / RPM</b>	3 / 1440
<b>Weight Approx KGS</b>	350

## STANDARD ACCESSORIES :-

2 planer blades fitted in cutter block, mitre gauge, motor pulley, motor fixing plate & m/c manual.

GSTIN : 22AUFP8634F1Z1

**AMAR JYOTI**  
MACHINERY CORPORATION



4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

AMAR JYOTI MACHINERY

**INDUSTRIAL MACHINERY**

Visit At: [WWW.AMARJYOTIMACHINERY.COM](http://WWW.AMARJYOTIMACHINERY.COM) Email : [raipur.amarjyoti@gmail.com](mailto:raipur.amarjyoti@gmail.com)



# MAX

For the professionals who value multi-functionality and precision workmanship.

Combi planers are combined Surfacers & Thicknessers m/cs. This is same high value machine like Combi max, but with fix top for site work. Combining precision and multi functionality in a machine that can work wonders for a professional set-up.

## MODEL NO.

J-1014, J-1014L, J-1015, J-1015L  
J-1019, J-1025

**WATCH VIDEO**

	MAX-13	MAX-13	MAX-15	MAX-15	MAX-19	MAX-24
Model	J-1014	J-1014L	J-1015	J-1015L	J-1019	J-1025
	mm / inch	mm / inch	mm / inch	mm / inch	mm / inch	mm / inch
Surfacing capacity	330 / 13"	330 / 13"	381 / 15"	381 / 15"	455 / 18"	610 / 24"
Max planing width	330 / 13"	330 / 13"	381 / 15"	381 / 15"	455 / 18"	610 / 24"
Thickening capacity	177 / 7"	177 / 7"	177 / 7"	177 / 7"	177 / 7"	177 / 7"
Length Of surface Table	1220 / 48"	1550 / 61"	1295 / 51"	1550 / 61"	1550 / 61"	1550 / 61"
Rebating Capacity	12.5 / ½"	12.5 / ½"	12.5 / ½"	12.5 / ½"	12.5 / ½"	12.5 / ½"
Length Of Thickness Table	640 / 25¼"	640 / 25¼"	710 / 28"	710 / 28"	735 / 29"	800 / 31½"
Min. Length of workpiece for thickening	254 / 10"	254 / 10"	254 / 10"	254 / 10"	254 / 10"	254 / 10"
Feeding Speed (feet per minute)	24	24	24	24	24	24
Cutter block diameter	95 / 3.75"	95 / 3.75"	95 / 3.75"	95 / 3.75"	105 / 4.15"	120 / 4.72"
Cutter block speed-RPM	4000	4000	4000	4000	4000	4000
Standard cutter block - code no.	2B	2B	2B	2B	3B-W	3B-W
Circular saw table size	610 x 305 / 24" x 12"	610 x 305 / 24" x 12"	610 x 305 / 24" x 12"	610 x 305 / 24" x 14"	610 x 355 / 24" x 14"	610 x 355 / 24" x 14"
Up/Down movement of Cir.saw table	75 / 3"	75 / 3"	75 / 3"	75 / 3"	75 / 3"	75 / 3"
Max.circular saw diameter	300 / 12"	300 / 12"	300 / 12"	300 / 12"	300 / 12"	300 / 12"
Power required - HP / RPM	3 / 1440	3 / 1440	3 / 1440	3 / 1440	5 / 1440	5 / 1440
Weight Approx KGS	400	420	450	475	600	750

## STANDARD ACCESSORIES :-

2/3 planer blades fitted in cutter block, mitre gauge, motor pulley, motor fixing plate, toolkit & m/c manual.

L= MACHINE WITH 61" TABLE LENGTH

GSTIN : 22AUFP8634F1Z1

**AMAR JYOTI**  
MACHINERY CORPORATION



4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

**INDUSTRIAL MACHINERY**

Visit At: [WWW.AMARJYOTIMACHINERY.COM](http://WWW.AMARJYOTIMACHINERY.COM) Email : [raipur.amarjyoti@gmail.com](mailto:raipur.amarjyoti@gmail.com)



AMAR JYOTI MACHINERY

# COMBI MAX

For the professionals who value multi-functionality and precision workmanship.

Combi planers are combined Surfacers & Thicknessers m/cs. This is same high value machine like Combi max, but with fix top for site work. Combining precision and multi functionality in a machine that can work wonders for a professional set-up.



## MODEL NO.

J-1013, J-1013L,

J-1018, J-1018LL

**WATCH VIDEO**

# COMBIMAX

Model	J-1013	J-1013 L	J-1018	J-1018 LL
	mm / inch	mm / inch	mm/ inch	mm / inch
Surfacing capacity	330 / 13"	330 / 13"	455 / 18"	455 / 18"
Max planing width	330 / 13"	330 / 13"	455 / 18"	455 / 18"
Thicknessing capacity	177 / 7"	177 / 7"	177 / 7"	177 / 7"
Length Of surface Table	1220 / 48"	1550 / 61"	1550/ 61"	1830 / 72"
Rebating Capacity	12.5 / ½"	12.5 / ½"	9 / ⅜"	9 / ⅜"
Length Of Thickness Table	560 / 22"	710 / 28"	660 / 26"	810 / 32"
Min. Length of workpiece for thicknessing	254 / 10"	254 / 10"	254 / 10"	254 / 10"
Feeding Speed (feet per minute)	21	21	21	21
Cutter block diameter	95 / 3.75"	95 / 3.75"	95 / 3.75"	95 / 3.75"
Cutter block speed- RPM	4000	4000	4000	4000
Standard cutter block - code no.	2B	2B	3B-W	3B-W
Circular saw table size	610x305 / 24" x 12"	610x305 / 24" x 12"	610x305 / 24" x 12"	610x305 / 24" x 12"
Up/Down movement of Cir.saw table	75 / 3"	75 / 3"	75 / 3"	75 / 3"
Max.circular saw diameter	300 / 12"	300 / 12"	300 / 12"	300 / 12"
Power required - HP / RPM	3 / 1440	3 / 1440	5 / 1440	5 / 1440
Weight Approx KGS	450	475	600	650

## STANDARD ACCESSORIES :-

2/3 planer blades fitted in cutter block, mitre gauge, motor pulley, motor fixing plate, safety guard for thicknessing, toolkit & m/c manual.

**L** = MACHINE WITH 61" TABLE LENGHT

**LL** = MACHINE WITH 72" TABLE LENGHT

GSTIN : 22AUFP8634F1Z1

# AMAR JYOTI

MACHINERY CORPORATION



AMAR JYOTI MACHINERY

4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

## INDUSTRIAL MACHINERY

Visit At: [WWW.AMARJYOTIMACHINERY.COM](http://WWW.AMARJYOTIMACHINERY.COM) Email : [raipur.amarjyoti@gmail.com](mailto:raipur.amarjyoti@gmail.com)



# COMBI PLANER

Preferred by wood-working workshops for its Precision workmanship, Multi-faceted utility, trusted performance and rugged durability.

These are preferred by wood-working workshops for its enhanced utility, trusted performance and rugged durability.

## MODEL NO.

# J-4018

[WATCH VIDEO](#)




**SURFACING TABLE'S  
SIMULTANEOUS WITH A  
90 DEGREE ANGLE AND  
RAPID SET UP**



**NOISE DAMPERING  
SYSTEM FOR QUIET  
OPERATION**



**RIPFENCE FASTENED TO  
A CENTRAL SUPPORT  
FOR AN ABSOLUTE  
RIGIDITY**



**THICKNESSING TABLE  
LIFTING BY 4 DUST  
PROTECTED COLUMNS**

<b>Model</b>	<b>J-4018</b>
	mm/inch
<b>Surfacing Capacity</b>	455 / 18"
<b>Max Planing width</b>	455 / 18"
<b>Thickening Capacity</b>	200 / 8"
<b>Length Of surface Table</b>	2130 / 84"
<b>Length Of Thickness Table</b>	775 / 30½"
<b>Min. Length of work piece for thickening</b>	254 / 10"
<b>Feeding Speed (feet per minute)</b>	24
<b>Cutter block diameter</b>	95 / 3¾"
<b>Cutter block speed- RPM</b>	4000
<b>Standard cutter block - code no.</b>	3B-W
<b>Size of Dust Collection Port - Dia.</b>	100 / 4"
<b>Power required - HP / RPM</b>	5 / 1440
<b>Weight Approx KGS</b>	800

## **Standard Accessories :-**

Electric motor 1no.5hp - 1440rpm / 3 Phase, 3 planer blades fitted in cutter block, control panel, toolkit & m/c manual.

**NOTE:** USE DUST COLLECTOR WITH THE M/C FOR SUPERIOR PERFORMANCE





**J-303**




**J-1010**



**J-1018**

# AMARJYOTI MACHINERY



**J-702**



**J-1015**



**J-4018**