

GSTIN : 22AUFP8634F1Z1



AMAR JYOTI MACHINERY

AMAR JYOTI

MACHINERY CORPORATION



4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

INDUSTRIAL MACHINERY

Visit At: WWW.AMARJYOTIMACHINERY.COM Email : raipur.amarjyoti@gmail.com



MEDIUM DUTY ALL GEARED HEAD

LATHE MACHINE

TECHNICAL SPECIFICATION

SPECIFICATION		
Bed Width	325 mm	375 mm
Height of Center Over Flat Bed Ways	304 mm	375 mm
Maximum Swing over bed	590 mm	730 mm
Maximum Swing over Cross Slide	390 mm	530 mm
Maximum Swing in Gap	900 mm	1060 mm
Spindle Nose	6 TPI	6 TPI
Spindle Speed	30 to 500 RPM	30 to 500 RPM
Type of Spindle	A2-8/Threaded	A2-8/Threaded
Diameter of Hole Through Spindle option in bore size available.	80 mm	80 mm
Inch Range	2 to 24 T.P.I.	2 to 24 T.P.I.
Metric Range	1 to 6 mm	1 to 6 mm
Lead Screw Dia. & Pitch	38 mm 4 T.P.I.	38 mm 4 T.P.I.
Tail Stock Spindle Dia.	57mm (2 1/4")	57mm (2 1/4")
Tail Stock Spindle Taper Bore	MT-4	MT-4
Tail Stock Spindle Taper	1:20	1:20

Full Stock Spindle Travel

160 mm

170 mm


Power Required

2.2 kw / 3 H.P.


2.2 kw / 5 H.P



LITE DUTY PRECISION
LATHE MACHINE
UPTO 40MM



MEDIUM DUTY PRECISION
LATHE MACHINE
UPTO 80MM



HEAVY DUTY PRECISION
LATHE MACHINE
UPTO 205MM



LITE DUTY ALL GEAR
LATHE MACHINE
UPTO 40MM



MEDIUM DUTY ALL
GEAR LATHE MACHINE
UPTO 80MM



HEAVY DUTY ALL
GEAR LATHE MACHINE
UPTO 205MM