GSTIN: 22AUFPA8634F1Z1







4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584

### INDUSTRIAL MACHINERY

# **TOOL POST GRINDER**

**UNIVERSAL MODEL** 

(EXTERNAL GRINDER WITH INTERNAL GRINDING ATTACHMENT)

EXTERNAL MODEL

(EXTERNAL GRINDER ONLY)

INTERNAL MODEL

(INTERNAL GRINDING ONLY)



#### APPLICATION: ■ For Use on Lathe, Shapers, Planer Machines etc. For Operation Like

Cylindrical EXTENAL and INTERNAL Grinding. Face, Radius Surface Grinding.

### SPINDLE:

■ Made from Allot Steel Suitable Heat Treated and Precision Ground. Precision Preloaded Bearing Used.

#### Standard Accessories:

- Tool Post Grinder is Delivered Complete with study Guards, Motor / Spindle Pulleys, Belts and Grinding Wheel.
- Electric Motor Supplied Only Against Request at Extra Cast.
- External Grinder Price includes the Cast Iron Mounting Body Whereas the INTERNAL **Grinding Attachment Price Does Not Include the Cast Iron Body.**

## PRECAUSIONS:

Rot	Rotate the EXTERNAL Spindle only in the Direction Indicated by the Arrow.							
S		GRIN	NDING		MO	TOR	SPI	NDLE
		WH	IEEL				SP	EED
Z	MAR	IVC	TIMA	5) II ~ // // //				PHA
#	EXTER	NAL	"INTER	MAL	# MP=	RPM	EXT.	MNT!
4"	4" x ½"	X ½"	<sup>3</sup> ⁄ <sub>4</sub> " x 1"	′ x 1⁄4"	0.50	2800	6000	18000
6"	6" x 3/4" x	X <sup>5</sup> / <sub>8</sub>	1½" x 5/s	8 X 1/4"	0.50	2800	3500	16800
8"	8" x ¾"	X 3/4"	1½" x 5/s	8 X <sup>1</sup> / <sub>4</sub> "	1	2800	2800	9700
10"	10" x 1"	X 3/4"	1½" x 5/s	8 X 1/4"	1	2800	2800	9700
S	HOUS	INT	ERNAL	SPIN	IDLE		MOT	OR
	-ING	SPI	INDLE	PULL	Y DIA	A P	<b>ULL</b> Y	Y DIA
Z	DIA	AR	BOUR	EXT.	INT	. E	XT.	INT.
Е	MM	LE	NGTH					
4"	44.0	2	21/2"	1"	1"	21	/8 "	6½"
6"	49.0	3½ M	AX(5½")	2"	11/4	" 2	1/2"	75/8 "
8"	59.5	4" (N	//AX 6")	21/2"	17/8	" 2	1/2"	6½"
10"	59.5	4" (N	ЛАХ 6")	21/2"	17/8	" 2	1/2"	6½"

# PRICE LIST OF TOOL POST GRINDER

SIZE	4"	6"	8"	10"
COMPLETE: EXTERNAL GRINDER WITH INTERNAL GRINDING ATTACHMENT	12800	16100	19600	24100
EXTERNAL GRINDER ONLY (MAX - WHEEL SIZE)	7850	8750	10350	14850
INTERNAL GRINDING ATTACHMENT (WITHOUT C.I. BODY) ALL PRICES WITH	4950	7350	9250 NERY	9950 COM
	SIZE		6"	8"
CAST (MACHINED AND WI	TIRON BODY	ATE WITHOUT	<b>6"</b> 4485	<b>8"</b> 4970
CAST (MACHINED AND WIT () INTERNA	T IRON BODY TH MOTOR PLA	LY		
CAST (MACHINED AND WIT (MITERNA (WITHOUT MC	T IRON BODY TH MOTOR PLA GUARDS L SPINDLE ON OTOR PULLY &	LY BELT)	4485	4970
CAST (MACHINED AND WITHOUT MOTERNAL) (WITHOUT MOTERNAL) (WITHOUT WHEE ALUMINIUM (FLAT BELT FO	T IRON BODY TH MOTOR PLA GUARDS L SPINDLE ON OTOR PULLY & L SPINDLE ON EL, BODY, GUA M MOTOR PUL	LY BELT) ILY ARDS ETC) LEY	4485 9100	4970 1115
CAST (MACHINED AND WITHOUT MORE)  EXTERNA (WITHOUT WHEE  ALUMINIUM (FLAT BELT FO) ATT INT-EXT SPINDL	I IRON BODY TH MOTOR PLA GUARDS L SPINDLE ON OTOR PULLY & L SPINDLE ON EL, BODY, GUA M MOTOR PUL R INTERNAL G FACHMENT)	LY BELT) ILY RDS ETC) LEY RINGING	4485 9100 8775	4970 1115 10985