



GSTIN : 22AUFP8634F1Z1



**AMAR JYOTI MACHINERY**

# AMAR JYOTI

## MACHINERY CORPORATION

4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (INDIA)

**Mo.: +91-9522015586; +91-9522015584**

## INDUSTRIAL MACHINERY

**Visit At:** [WWW.AMARJYOTIMACHINERY.COM](http://WWW.AMARJYOTIMACHINERY.COM) **Email :** [raipur.amariyoti@gmail.com](mailto:raipur.amariyoti@gmail.com)



**POWER PRESS**

## 'INCLINABLE'

 CAPACITY

## 5TON TO 200TON

[illegible]

Punch Hole in Ram	MM	25	25	32	38	38	45	45	50	50	80	80
Hole in Bed	MM	63	76	82	89	95	101	115	130	150	200	225
Bed Size (Length x Width)	MM	355 x178	432 x228	534 x305	585 x355	635 x355	685 x406	712 x457	738 x508	891 x612	1041 x737	1100 x817
Bed Thickness	MM	50	58	63	70	76	83	88	95	114	127	137
Dist.between bed to Ram	MM	177	204	250	292	320	350	380	380	406	457	482
Flywheel Dia.	MM	406	458	482	533	584	660	762	812	863	965	1016
Strokes per minute	MM	80	70	45	40	35	35	30	30	30	25	25
H.P.Required	MM											
For Geared(1440 RPM)	HP	1	1.5	2	3	4	5	7.5	10	10	12.5	15
For Ungeared(960 RPM)	HP	1	2	3	5	-	-	-	-	-	-	-
Floor To Top of Bed	MM	700	830	830	880	1000	1000	1000	1000	1000	1000	1000
Allover Size LR x FB x H	MM	700 x600 x1600	800 x800 x1900	1000 x1000 x2100	1000 x1100 x2200	1100 x1200 x2400	1200 x1300 x2500	1300 x1350 x2650	1500 x1500 x2750	1750 x1750 x2900	2050 x2000 x3300	2200 x2150 x3500
Weight Approximate	Kg.	400	600	1100	1400	1900	2500	2700	3200	4700	6200	7700



**'C' TYPE POWER PRESS**



**'H' TYPE POWER PRESS**



**PNEUMATIC POWER PRESS**

# AMAR JYOTI MACHINERY



**MECHANICAL  
UNDER CRANK SHEARING**  
610 x 1 mm to 3125 x A mm



**MECHANICAL/PNEUMATIC  
PRESS BRAKE**  
610 x 1 mm to 3125 x A mm



**HYDRAULIC SHEARING**  
1500 x 3 mm to 8000 x 25 mm