

GSTIN : 22AUFPA8634F1Z1

AMAR JYOTI

MACHINERY CORPORATION

4, MAIN BILASPUR ROAD, BHANPURI CHOWK, BHANPURI, RAIPUR-493221, CHHATTISGARH (IND)

Mo.: +91-9522015586; +91-9522015584



AMAR JYOTI MACHINERY

INDUSTRIAL MACHINERY

Visit At: WWW.AMARJYOTIMACHINERY.COM Email : raipur.amarjyoti@gmail.com



✓ POWER PRESS

'H' TYPE

✓ CAPACITY

5TON TO 200TON

AMAR JYOTI MACHINERY

CAPACITY IN TONS	-	5 TONS	10 TONS	20 TONS	30 TONS	40 TONS	50 TONS	60 TONS	80 TONS	100 TONS	150 TONS	200 TONS
Crankshaft Diameter	MM	70	88	115	130	135	140	150	160	170	190	250
Adjustment of Stroke	MM	38	50	63	76	76	89	100	115	130	150	150
Adjustment of Ram	MM	25	25	25	25	25	25	25	25	25	25	25
Punch Hole in Ram	MM	25	25	32	38	38	45	45	50	50	80	80
Hole in Bed	MM	63	76	82	89	95	101	115	130	150	200	225

CAPACITY IN TONS	-	5 TONS	10 TONS	20 TONS	30 TONS	40 TONS	50 TONS	60 TONS	80 TONS	100 TONS	150 TONS	200 TONS
Bed Size (Length x Width)	MM	381 x 254	457 x 304	660 x 380	762 x 431	785 x 482	810 x 507	840 x 558	890 x 583	915 x 635	1015 x 710	1140 x 787
Bed Thickness	MM	100	112	140	152	165	177	203	228	253	278	304
Dist.between bed to Ram	MM	177	204	250	292	320	350	380	380	406	457	482
Flywheel Dia.	MM	406	458	482	533	584	660	762	812	863	965	1016
Strokes per minute	MM	80	70	45	40	35	35	30	30	30	25	25
H.P.Required												
For Geared(1440 RPM)	HP	1	1.5	2	3	4	5	7.5	10	10	12.5	15
For Ungeared(960 RPM)	HP	1	2	3	5	-	-	-	-	-	-	-
Floor To Top of Bed	MM	700	830	830	880	1000	1000	1000	1000	1000	1000	1000
Allover Size LR x FB x H	MM	700 x 600 x 1600	800 x 800 x 1900	1000 x 1000 x 2100	1000 x 1100 x 2200	1100 x 1200 x 2400	1200 x 1300 x 2500	1300 x 1350 x 2650	1500 x 1500 x 2750	1750 x 1750 x 2900	2050 x 2000 x 3300	2200 x 2150 x 3500
Weight Approximate	Kg.	350	600	1200	1500	1900	2500	2800	3400	4800	6300	7800

